PURCHASE ORDER

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT Order Date 11/15/2022

Page 01

200 Technology Way, Suite 1120, College Station, TX 77845-3424; Phone 979-458-7380, FAX 979-458-7386

Purchase Order No.	(Include this number on all correspondence and packages)		GUARANTEES	INVOICE TO:
P300205		MERCHAN THIS ORD EXCEED S	NOISE DELIVERED ON DER WILL MEET OR SPECIFICATIONS IN NVITATION.	TEXAS A&M FOREST SERVICE LUFKIN - FRP PO BOX 310 LUFKIN TX 75902
VENDOR	······································		ALL TERMS AND CONDITIONS SET	
17419210373			FORTH IN OUR BID INVITATION BECOME	SHIP TO:
CLEVELAND M PERFORMANCE 266 MARINO BRYAN, TX	ROAD		A PART OF THIS ORDER.	TEXAS A&M FOREST SERVICE HUDSON OFFICE 155 TEXAS FOREST SERVICE LOOP LUFKIN TX 75904
	-	_		

ANY EXCEPTIONS TO PRICING OR DESCRIPTION CONTAINED HEREIN MUST BE APPROVED BY THE TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT PRIOR TO SHIPPING. PLEASE NOTE: IF YOUR INVOICE IS NOT ADDRESSED AS INSTRUCTED PAYMENT WILL BE DELAYED.

ltern	Description	Quantity	UOM	Unit Price	Ext Price
1	USER REF: 000000-JLS 2024 KENWORTH MODEL T880 PER SPECIFICATIONS **QUOTE ID# QUO-915615-F2B8V4** BID NO. IFB-23-004	2	EA	181,327.000	362,654.00
	BID NO. IID 13 004			TOTAL	362,654.00
	**** NET 30 ****				
	NOTE TO VENDOR: "SHIP TO" AND "INVOICE TO" ADDRESSES MAY DIFFER. FAILURE TO SUBMIT INVOICE TO PROPER ADDRESS MAY RESULT IN DELAYED PAYMENT.				
	*******IFB TERMS AND CONDITIONS************************************				
	THE TEXAS A&M FOREST SERVICE REQUIRES COORDINATION OF YOUR VEHICLE DELIVERIES WITH A MINIMUM 24 HOUR PRIOR NOTICE.				
	TO INSURE PERSONNEL WILL BE AVAILABE ON SITE TO ACCEPT YOUR DELIVERY, CALL ALAN SMITH 936-875-4840 AND/OR EMAIL ASMITH@TFS.TAMU.EDU, OR ZACH LOONEY SAME PHONE #, EMAIL ZLOONEY@TFS.TAMU.EDU TO COORDINATE DELIVERY DATE/TIME.				
	TERMS, CONDITIONS, AND SPECIFICATIONS OF IFB-23-004 SHALL APPLY TO THIS PURCHASE ORDER. DELIVERY TO HUDSON, TX ATTENTION				
RTL					

Texas A&M Forest Service cannot accept collect freight shipments.

FOB: DESTINATION FRT INCLUDED

FAILURE TO DELIVER - If the vendor fails to deliver those supplies by the promised delivery date or a reasonable time thereafter, without gwing acceptable reasons for delay, or if supplies are rejected for failure to meet specifications, the State reserves the right to purchase specified supplies elsewhere, and charge the increase in price and cost of handling, if any, to the vendor. No substitutions nor carcellations permitted without prior approval of Purchasing Department.

The State of Texas is exempt from all Federal Excise Taxes.

STATE AND CITY SALES TAX EXEMPTION CERTIFICATE: The undersigned claims an exemption from laxes under Texas Tax Code, Section 151.309 (4). for burchase of tangible personal property described in this numbered order, purchased from contractor ane/or shipper listed above, as this property is being secured for the exclusive use of the State of Texas.



TEXAS A&M FOREST SERVICE

Terms: IN ACCORDANCE WITH YOUR BID, SUPPLIES/EQUIPMENT MUST BE PLACED IN THE DEPARTMENT PECEIVING ROOM BY

PURCHASE ORDER

Order Date 11/15/2022

Page 02

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT

200 Technology Way, Suite 1120, College Station, TX 77845-3424; Phone 979-458-7380, FAX 979-458-7386

Purchase Order No.	(Include this number on all correspondence and packages)	VENDOR	GUARANTEES	INVOICE TO:
P300205	Conception and parkages)	MERCHA THIS ORI EXCEED	NDISE DELIVERED ON DER WILL MEET OR SPECIFICATIONS IN INVITATION.	TEXAS A&M FOREST SERVICE LUFKIN - FRP PO BOX 310 LUFKIN TX 75902
VENDOR	·····		ALL TERMS AND CONDITIONS SET	
17419210373 CLEVELAND M	ACK SALES INC		FORTH IN OUR BID	SHIP TO:
PERFORMANCE 266 MARINO E	TRUCK		A PART OF THIS ORDER.	TEXAS A&M FOREST SERVICE HUDSON OFFICE
BRYAN, TX				155 TEXAS FOREST SERVICE LOOP LUFKIN TX 75904
	-	-		

ANY EXCEPTIONS TO PRICING OR DESCRIPTION CONTAINED HEREIN MUST BE APPROVED BY THE TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT <u>PRIOR</u> TO SHIPPING.

PLEASE NOTE: IF YOUR INVOICE IS NOT ADDRESSED AS INSTRUCTED PAYMENT WILL BE DELAYED.

ltem	Description	Quantity	UOM	Unit Price	Ext Price
	ZACH LOONEY.				
	VENDOR QUOTE: IFB-23-004 VENDOR REF: CLAY MADDEN 281-593-8888 PHONE: 979-778-4466				
			:		
RTL Texas A&I	M Forest Service cannot accept collect freight shipments.				

M Forest Service cannot accept collect freight shipments

FOB: DESTINATION FRT INCLUDED

FAILURE TO DELIVER - If the vendor fails to deliver these supplies by the promised delivery date or a reasonable time thereafter, without giving acceptable reasons for delay, or if supplies are rejected for failure to meet specifications, the State reserves the right to purchase specified supplies elsewhere, and charge the increase in price and cost of handling, if any, to the vendor. No substitutions nor cancellations permitted without orior approval of Purchasing Department.

The State of Texas is exempt from all Federal Excise Taxes.

STATE AND CITY SALES TAX EXEMPTION CERTIFICATE The undersigned claims an exemption from taxes under Texas Tax Code, Section 151.309 (4), for purchase of langible personal property described in this numbered order, purchased from contractor and/or shipper listed above, as this property is being secured for the exclusive use of the State of Texas.

The Terms and Conditions of the State of Texas shall prevail.

Terms:

IN ACCORDANCE WITH YOUR BID, SUPPLIES/EQUIPMENT MUST BE PLACED IN THE DEPARTMENT RECEIVING ROOM BY

THIS ORDER IS NOT VALID UNLESS SIGNED BY THE PURCHASING AGENT

PURCHASING AGENT FOR **TEXAS A&M FOREST SERVICE**



PURCHASING DEPARTMENT 200 TECHNOLOGY WAY SUITE 1151 COLLEGE STATION, TEXAS 77845-3424

INVITATION FOR BID

IFB NUMBER IFB-23-004

Kenworth Model T880

BID MUST BE RECEIVED BEFORE: 2:00 P.M. CENTRAL STANDARD TIME (CST) on November 14, 2022

MAIL, EMAIL, HAND DELIVER, AND /OR FAX (979-458-7387) BID TO:

Texas A&M Forest Service Purchasing Department 200 Technology Way, Suite 1151 College Station, TX 77845-3424

Show IFB Number, Opening Date, and Time on Return Envelope

NOTE: BID must be time stamped at the <u>Texas A&M Forest Service Purchasing Department</u> before the hour and date specified for receipt of bid.

Sealed bids will be received until the date and time established for receipt.

REFER ALL INQUIRIES TO:

Terry Smith, C.P.M., CTCD, CTCM Purchasing Department Head Texas A&M Forest Service Purchasing Department Phone: 979-458-7380 E-mail: tsmith@tfs.tamu.cdu

BIDDER MUST S FAILURE TO SIGN WIL *By signing this quotation, Texas address is shown as	L DISQUAL bidder certifie s the address	IFY BID s that if a of the	TEXAS A&M FOREST SERV PURCHASING DEPARTMENT 200 TECHNOLOGY WAY STE 11 COLLEGE STATION TX 77845-34	51 Page 2 of 9
		apter 20,	PHONE 979-458-7380 FAX 979-458	3-7387
AUTHORIZED SIGNATURE				BID OPENING: November 14, 2022
Clay Madden		11/14/22	IMPORTANT NOTICE:	@ 2:00 p.m. CST
PRINT OR TYPE NAME		DATE	IF BIDDING EACH BID	
General Sales Mana	ager		MUST BE PLACED IN A	
TITLE			SEPARATE ENVELOPE WITH BID OPENING DATE	BID NO: IFB-22-004
74-1921037			AND BID NUMBER	
VENDOR ID NUMBER (SEE INSTRUCTIONS 1.7 ON LAST	FPAGE FOR VEN	DOR ID NUMBER)	ANNOTATED IMMEDIATELY BELOW RETURN ADDRESS ON SEALED RID	QUOTE F.O.B. DESTINATION, FREIGHT PREPAID AND ALLOWED UNLESS OTHERWISE STATED WITHIN THE SPECIFICATIONS
Cleveland Mack Sales,	Inc dba Per	formance Truck	ON SEALED BID ENVELOPE.	DESTINATION OF GOODS
COMPANY NAME 1263 US HWY 59N			BIDDER AGREES TO	Texas A&M Forest Service 155 Texas Forest Service Loop
Cleveland	τv	77450	COMPLY WITH ALL	Lufkin, TX 77904
	TX STATE	77459 zip	CONDITIONS TO THIS IFB.	
281-593-8888				
PHONE	FAX		-	
avest@performance	etruck.com)		
E-MAIL				

BIDDER MUST SIGN BELOW

ltem	Description		Quantity	UOM	Unit Price	Ext Price
	When mailing in bids, bid number and bid opening date mu indicated on the lower left corner of the envelope.	st be				
	Faxed bids will be accepted only at the number indicated a top of this form.	t the				
	Class and Item Codes: 072-00			40.00 		
	DETERMINATION OF SUBCONTRACTING OPPORTUNITIE The TEXAS A&M FOREST SERVICE has reviewed this IF accordance with Texas Government Code 2161.252 and 111.14(a) and has determined that subcontracting opportunities probable under this contract. Accordingly, a HUB Subcontracting (HSP) is not required.	B in TAC s are				
	GENERAL					
	General questions and clarification of technical specifications ma made to Terry Smith at tsmith@tfs.tamu.edu or 979-458- regarding this Invitation For Bid (IFB).	iy be 7381				
	No authority is intended or implied that specifications may be chan or amended except as authorized by written addendum from					
	k below to claim preference under TAC Rule 20.38 Supplies, materials or aquipment; produced in TX/offered by TX bidder* Agriculture products produced or grown in TX griculture products and services offered by TX bidder ISA produced supplies, materials or equipment Products of persons with mental or physical disabilities (endors that meet or exceed air quality standards Soods produced or offered by service-disabled veterans tanufacturer that has recycle program for computer equipment Delivery in days Cash Discount %		sensitive () Energy el () Rubberize () Recycled () Products property () Products	materials incl ficient produc ad asphalt pay motor oil and produced at fi and services t	ving material lubricants acilities located on form	nerly contaminated ressed or blighted areas

PHON Item	E 979-458-7380 FAX 9	79-458-7387 Description	VENDOR:		Quantity	UOM	Unit Price	
	CHNOLOGY WAY STE EGE STATION TX 77845		BID NO: IFE	NO: IFB-23-004 Cleveland Mack Sales, Inc				
PURC	S A&M FOREST SERVIC HASING DEPARTMENT	-	BID OPENIN	IG: Nov	vember 14, 2	2022 @ 2:0	00 p.m. CST	

	E 979-458-7380 FAX 979-458-7387	VENDOR:		~	· · · · · · · · · · · · · · · · · · ·	····
tem	Description Texas A&M Forest Service Purchasing Department.		Quantity	UOM	Unit Price	Ext Price
	Responses to inquiries, which directly affect an ir change to this IFB, will be issued in writing by add inquiries which are replied to by formal written add binding. Oral and other interpretations or clarifications legal effect.	dendum. Only denda shall be				
	NOTICE: THE DEADLINE FOR WRITTEN QUESTION 8, 2022 at 2:00 P.M. CENTRAL STANDARD TIME (CS	IS IS November T).				
	SHOULD AN ADDENDUM BE REQUIRED, IT WILL E November 10, 2022 at 2:00 P.M. CENTRAL STANDAR	BE ISSUED BY D TIME (CST).				
	SCOPE					
	By means of this IFB, it is the intention of the TEXAS A& SERVICE to acquire bids for the purchase of two Kenwe T880 full trucks as described in the attached specification matching the specifications exactly will be considered for substitutions are allowed.	orth Model				
	TERMS AND CONDITIONS					
	A. A response to this IFB is an offer to contract based conditions, and specifications contained herein. become contracts until they are accepted through FOREST SERVICE purchase order. The con governed, construed, and interpreted under the law of Texas. The factors listed in Section 51.9335 Te Code shall also be considered in making an award w Any legal actions must be filed in Brazos County, Te	Bids do not a TEXAS A&M tract shall be ws of the State exas Education when specified.				
	3. The TEXAS A&M FOREST SERVICE reserves make an award on the basis of low line item bin line items, or in any other combination that will a interest of the TEXAS A&M FOREST SERVICE any and all bid items at the sole discretion of the FOREST SERVICE. The TEXAS A&M FOREST SERVICE reserves the right to accept or reject all or any pa waive minor technicalities and award the bid to the interest of the TEXAS A&M FOREST SERVICE. A&M FOREST SERVICE shall be sole judge of "the of the TEXAS A&M FOREST SERVICE".	d, low total of serve the best and to reject e TEXAS A&M SERVICE also art of any bid, best serve the The TEXAS				
	C. This IFB does not commit the TEXAS A&M FORES award a contract, issue a purchase order, or pay any by a vendor in the preparation of a bid in response to	y cost incurred				
	 Upon award of bid, this IFB, awarded vendor's r subsequent Purchase Order/s will serve as instrume between the awarded vendor and the TEXAS A SERVICE. 	ents of contract				
E	The TEXAS A&M FOREST SERVICE reserves the this contract at any time, and without penalty, either part, if funds are not appropriated by the Texas Legi	in whole or in				

Page 4 of 9

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT 200 TECHNOLOGY WAY STE 1151 COLLEGE STATION TX 77845-3424 PHONE 979-458-7380 FAX 979-458-7387

BID OPENING: November 14, 2022 @ 2:00 p.m. CST

BID NO: IFB-23-004

VENDOR: Cleveland Mack Sales, Inc

ltem	Description	Quantity	UOM	Unit Price	Ext Price
	not otherwise made available, or for any other unforeseen cause that may occur.				
F.	This contract will be executed in accordance with all specifications, terms and conditions, and requirements of this IFB. The TEXAS A&M FOREST SERVICE will decide all questions which may arise as to the interpretation of specifications, quality, quantity, and acceptability of goods furnished or work performed. If the contract is for services, TEXAS A&M FOREST SERVICE will decide the manner of performance and the rate of progress of work and the acceptable fulfillment of the services on the part of the vendor.				
G.	This contract is subject to any constitutional or statutory limitations upon the TEXAS A&M FOREST SERVICE as an agency of the State of Texas.				
H.	The TEXAS A&M FOREST SERVICE is committed to maintaining an alcohol and drug-free workplace. Possession, use, or being under the influence of alcohol or controlled substances by vendor or vendor's employees while in the performance of any service performed for the TEXAS A&M FOREST SERVICE is prohibited. Violation of this requirement shall constitute grounds for cancellation of the contract.				
I .	In the performance of the specified work awarded vendor shall comply with all applicable Federal and State laws including, but not limited to laws governing labor, equal employment opportunity, safety, environmental protection, and materials used in the work.				
J.	Unacceptable vendor performance and/or failure of vendor to comply with specifications, terms and conditions or any other requirements stipulated herein will constitute a breach of contract and will result in the contract becoming subject to cancellation by the TEXAS A&M FOREST SERVICE. Written notice from the TEXAS A&M FOREST SERVICE to the vendor of such cancellation will result in the contract becoming voided and canceled immediately thereupon, without penalty to the TEXAS A&M FOREST SERVICE.				
К.	If the vendor defaults on the contract, TEXAS A&M FOREST SERVICE reserves the right to cancel the contract without notice and either re-solicit or re-award the contract to the next best value bidder originally responding to the IFB. The defaulting vendor will not be considered in the re-solicitation and may not be considered in future solicitations for the same type of work unless the specifications or scope of work is significantly changed.				
L.	Authorized Relief From Performance (Force Majeure) The TEXAS A&M FOREST SERVICE may grant relief from performance of the contract if the vendor is prevented from compliance and performance by the act of war, order of legal authority, act of God, or other unavoidable causes not attributable to the fault or negligence of the contractor. The burden of proof for the need of such relief shall rest upon the vendor. To obtain release based on Force Majeure, the vendor must file a written request to the TEXAS A&M FOREST SERVICE.				
M.	Suspension, Debarment, and Terrorism – Bidder certifies that the bidding entity and its principals are eligible to participate in this transaction and have not been subjected to suspension,				

Page 5 of 9

TEXAS A&M FOREST SERVICEBID OPENING: November 14, 2022 @ 2:00 p.m. CSTPURCHASING DEPARTMENTBID OPENING: November 14, 2022 @ 2:00 p.m. CST200 TECHNOLOGY WAY STE 1151BID NO: IFB-23-004COLLEGE STATION TX 77845-3424BID NO: IFB-23-004PHONE 979-458-7380FAX 979-458-7387VENDOR:Cleveland Mack Sales, Inc

m	Description		Quantity	UOM	Unit Price	Ext Price
1	debarment, or similar ineligibility determined by a	ny federal state	wantity			EXI Price
	or local governmental entity and that bidder is in	compliance with				
	the State of Texas Statutes and Rules relating to	procurement and				
	that bidder is not listed on the Federal Governi	nent's Terrorism				
	Watch List as described in Executive Order	13224. Entities				
	ineligible for federal procurement are listed at					
	https://www.sam.gov/portal/public/SAM/					
N.	Conflict of Interest. By executing this Agreer	nent. Contractor				
	and each person signing on behalf of Contractor	certifies and in				
	the case of a sole proprietorship, partnership or c	ornoration each				
	party thereto certifies as to its own organization, the	orporation, each			ŀ	
	their knowledge and belief, no member of The	ARM Queters OF	j			
	The A&M System Board of Departs many	Agivi System or				
	The A&M System Board of Regents, nor any empl	oyee, or person,				
	whose salary is payable in whole or in part by Th	ie A&M System,				
	has direct or indirect financial interest in the	award of this				
	Agreement, or in the services to which this Agree	ment relates, or				
	in any of the profits, real or potential, thereof.					
Ο.	Prohibition on Contracts with Companies Bo	vcotting Israel		ļ		
	Prohibition on Contracts with Companies Boycottir	g Israel. To the				
	extent that Texas Government Code, Chapter 227	0 applies to this				
	Agreement, PROVIDER certifies that (a) it doe	s not currently				
	boycott Israel; and (b) it will not boycott Israel du	ring the term of				
	this Agreement. PROVIDER acknowledges this	Agreement may				
	be terminated and payment withheld if this	certification is				
	inaccurate.				5	
Ρ.	Certification Regarding Business with Certain	Countries and				
	Organizations. Pursuant to Subchapter F, Chap	ter 2252, Texas				
	Government Code, Contractor certifies it is n	ot engaged in			i i	
	business with Iran, Sudan, or a foreign terrori	st organization				
	Contractor acknowledges this Agreement may be the	erminated if this			ŀ	
	certification is inaccurate.					
Q.	Additional Quantities The TEXAS A&M FOR	EST SERVICE				
	reserves the right to purchase additional qui	antities of the				
	equipment listed herein. Orders for additional equipment listed herein.	ipment shall be				
	made by TEXAS A&M FOREST SERVICE Purch	ase Order and				
	shall be made within sixty (60) days of award of th	is bid. Bidders			;	
	shall hold price firm during this period. Additi	onal quantities				
	ordered shall be subject to the same terms, condition	ons and pricing			Í	
	of the initial bid response.					
R.	Inter-Agency Agreement Successful bidder ag	rees to extend				
	prices and terms to all entities who have entered of	r will enter into			ĺ	
	joint purchasing inter-agency cooperation agreem	ent(s) with the]		
	Texas A&M Forest Service.					
S.	Blanket PO Bid Submittal Prices – N/A					
Τ.	Quality The vehicles or equipment furnished	d under these				
	specifications shall be of quality workmanship and	material. The				
	bidder represents that all vehicles or equipment	offered under				
	these specifications shall be new, current proc	luction model				
	USED, SHOPWORN, DEMONSTRATOR, PRO	TOTYPE, OR				
	DISCONTINUED MODELS ARE NOT ACCEPTABL	.E.				
<u> </u>	Vendor Certification – Vendor hereby certifies th	at the network				

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT 200 TECHNOLOGY WAY STE 1151 COLLEGE STATION TX 77845-3424 PHONE 979-458-7380 FAX 979-458-7387

÷.

۰.

BID OPENING: November 14, 2022 @ 2:00 p.m. CST

BID NO: IFB-23-004

n	79-458-7380 FAX 979-458-7387 Description	VENDOR:	Quentit	HOH	Hatt Dates	
	hardware or software, <u>as applicable</u> , procured or contract, has undergone independent certifica	leased under this	Quantity	UOM	Unit Price	Ext Pric
	known and relevant vulnerabilities in accordar 2059.060 of the Texas Government Code.	nce with section				
V.	Renewals Any renewals will be under the sar terms and conditions as those of the orig documents. Only changes that are permitted wit the originally awarded agreement may be co renewal.	ginal agreement				
W.	Vendor References – <u>If requested</u> , bidder wil submit Vendor References for current or p work/service provided in the quality and scope of this IFB.	ast comparable				
X .	Public Disclosure					
	(a) Bidder acknowledges that Texas A&M For obligated to strictly comply with the Public Chapter 552, <i>Texas Government Code</i> , in res request for public information pertaining to this Ag as any other disclosure of information require Texas law.	Information Act, ponding to any reement, as well				
	(b) Upon Texas A&M Forest Service's written rec provide specified public information exchanged of this Agreement that is not otherwise excepted under chapter 552, Texas Government Code, Forest Service in a non-proprietary format acce	r created under from disclosure to Texas A&M ptable to Texas				
*	A&M Forest Service. As used in this printformation, has the meaning assigned Section Government Code, but only includes information A&M Forest Service has a right of access.	552.002, Texas to which Texas	ъ.	-		·
	(c) Bidder acknowledges that Texas A&M Forest required to post a copy of the fully executed A Internet website in compliance with Section 2201.2 Government Code.	preement on its	•.			
	(c) Bidders/businesscs are also required to energy employees who have been designated as <i>Not Eli</i> by a TAMU member are not involved in any wor system.	gible for Rehire				
Y. I	HUB – Historically Underutilized Businesses					
	All agencies of the State of Texas are required t faith effort to utilize Historically Underutilized Bus in procurements for commodities and services. It of the State of Texas and the Texas A&M Forest S A&M FOREST SERVICE), as a good faith effort, to use of Historically Underutilized Businesses (HUI contracts, subcontracts, and purchasing transac A&M FOREST SERVICE initiatives are to our pr	inesses (HUBs) is the intention Service (TEXAS o encourage the 3s) in all prime tions. TEXAS				
	and core suppliers to achieve these ends through a gender-neutral means. All procurements exceedir either goods and/or services must include a com Texas HUB Subcontracting Plan (HSP)	ace, ethnic, and a stand stand stand stand standard standard standard standard standard standard standard stand				• •
Y	vendcr/contractor.	il :- :				

Page 7 of 9

TEXAS A&M FOREST SERVICE
PURCHASING DEPARTMENT
200 TECHNOLOGY WAY STE 1151
COLLEGE STATION TX 77845-3424
PHONE 979-458-7380 FAX 979-458-7387
FRUNE 9/9-400-7080 FAX 9/9-458-738/

BID OPENING: November 14, 2022 @ 2:00 p.m. CST BID NO: JEB 23.004

BID NO: IFB-23-004 VENDOR: _____ Cleveland Mack Sales, Inc

lter	n	Description	Quantity	/ UOM	Unit Price	Ext Price
	A y ti g in e ri o b A (; o	RIGHT TO AUDIT At any time during the term of this contract and for a period of four (4) years thereafter the Texas A&M Forest Service, the State of Texas, the Comptroller of the United States, the federal agency awarding a grant to the Texas A&M Forest Service which funds this procurement in whole or in part, or duly authorized audit representatives of these entities, at their own expense and at reasonable times, reserves the ight to have access to, and to incrementally audit, awarded vendor's ecords that are related to this contract. In the event such an audit by one or more of these entities reveals any errors and/or overpayments by Texas A&M Forest Service, awarded vendor shall refund Texas A&M Forest Service the full amount of such overpayments within thirty 30) days of such audit findings, or Texas A&M Forest Service at its ption, reserves the right to deduct such amounts owed to Texas A&M forest Service from any payments due to awarded vendor.				
	B	ASIS OF AWARD				
	-	Award Criteria – The evaluation of bid responses will include but is not limited to pricing, delivery, the extent of which the goods or services meet the needs of the TEXAS A&M FOREST SERVICE and any other factors the TEXAS A&M FOREST SERVICE deems relevant.				
	· · · · · · · · · · · · · · · · · · ·	The TEXAS A&M FOREST SERVICE must be confident that the bidder's response will meet needs of the TEXAS A&M FOREST SERVICE. TEXAS A&M FOREST SERVICE will evaluate and make the award to the bid that is determined to be the best value to the agency based on the criteria listed below.	-			
		Evaluation Criteria:				1 - 1 - 1
		Pricing	، ار		a .	
		Delivery				
		Vendor's ability, capacity, and skill				
		Vendor's previous experience and past relationship with TEXAS A&M FOREST SERVICE	۰		*	
		Any other factors TEXAS A&M FOREST SERVICE deems relevant			¢ k	
	B.	If bidder submits product or service literature and specifications TEXAS A&M FOREST SERVICE reserves the right to decide if items offered are equivalent to those specified. TEXAS A&M FOREST SERVICE alone shall determine "best value" to the agency and TEXAS A&M FOREST SERVICE' judgment in this regard shall be considered final.				
	C.	The TEXAS A&M FOREST SERVICE reserves the right to reject any and all bids, waive any technicalities.				
	D.	By submitting a bid in response to this IFB, bidder agrees to this evaluation and award process and further accepts TEXAS A&M FOREST SERVICE' judgment and decision of award.				
	TF					
	<u>s (.</u>	STINIONE SECIFICATIONS				

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT 200 TECHNOLOGY WAY STE 1151 COLLEGE STATION TX 77845-3424 PHONE 979-458-7380 FAX 979-458-7387

BID OPENING: November 14, 2022 @ 2:00 p.m. CST BID NO: IFB-23-004

VENDOR: Cleveland Mack Sales, Inc

Item	Description	Quantity	UOM	Unit Price	Ext Price
	See attachment B - FY23 Kenworth Model T880 Truck Specifications, 9-pages				
				ł	

	ATION FOR BID – RETURN SEALED BIDS TO:					Page 9 of 9
URCH	A&M FOREST SERVICE IASING DEPARTMENT	BID OPENING: N	lovember 14, 2	022 @ 2:	00 p.m. CST	
	CHNOLOGY WAY STE 1151 GE STATION TX 77845-3424	BID NO: IFB-23-0	004			
	979-458-7380 FAX 979-458-7387	VENDOR:	Cleveland N	lack Sa	ales, Inc	
tem	Description		Quantity	UOM	Unit Price	Ext Price
	ITEM/BID					
1	Kenworth Model T880 per specification. (No substitutes)		2	EA	\$ <u>181,327.</u> 00	\$ 362,654.00
	GR/	AND TOTAL \$	i			\$ <u>362,654.00</u>
ECO	S AND CONDITIONS: THE FOLLOWING ITEMS A ME A PART OF TERMS AND CONDITIONS OF XCEPTIONS THERETO MUST BE IN WRITING	PPLY TO AND F QUOTATION				
VITA B-23	TION FOR BID -004 - 9-pages					
tachr	CHMENTS nent A - Texas A&M Forest Service, Terms and Conditi nent B - FY23 Kenworth Model T880 Truck Specificatio	ons, 2-pages ns, 9-pages				
otice. vitati	: Bidders are cautioned to carefully read all pail ion and to ensure all requested bidder information i	r <u>ts of this bid</u> s completed.				

PERFORMANCE TRUCK - LUFKIN

2501 N. Medford Drive, Lufkin, Texas 75901

Phone: (936) 634-3000

	BUYER	'S ORDEF	ર		
Date Prepared: 11-14-2022 Delivery Date: *Q2 2	023 Build Sale	esman: Drev	w Vest		Branch: Lufkin
Purchaser: Texas A&M Forest Service			Telephone: 936	6-875-4840 Fax:	
Mailing Address: 155 Texas Forest Service Loop	, ity: Lufkin State: ⁻	TX Zip: 75	5904		County: Angelina
Physical Address: 155 Texas Forest Service Loop	City: Lufkin State:	TX Zip: 7	75904		County: Angelina
Description: NEW 2024 KENWORTH T880				Email Address:	bwhitworth@tfs.tamu.edu
Mileage: Color: L0006 White NOTE: S	Sales tax and license	fee may app	lv but are not inclu		
VIN: TO ORDER Comments: See attached vehic			-	-	
Purchaser's Agent: Billy Whitworth Title:				ype: Commercial	Account # TAMU Forest
	LICENSE - TIT			ype. commondar	
Months: 12 Tractor: Truck: X Trailer:	Body Type: FL		Color: WHI	Tons:	GCW: 66000
					GCW. 00000
Apportioned: IMC # Combination:	Com'l: X T	oken Trailer	r: Gas:	Diesel: X	
	ION				
AGENCY:			SELLING PRICE	*	180,847.66
NAME: PHO	NE:		ACCESSORIES		-
LIEN INFORMATION			CASH PRICE W/	ACCESS.	180,847.66
NAME: LIEN	I DATE:		TRADE IN ALLO	WANCE	-
ADDRESS: F	PHONE:		NET CASH DIFF	ERENCE	180,847.66
CITY, STATE, ZIP:			FEDERAL RETA	IL EXCISE TAX	
COMMENTS:			NET PRICE		180,847.66
AMOUNT: NAME:			STATE SALES T	AX	-
			LICENSE MO. &	FEE	
				UDES \$5 TAG FEE)	5.00
This proposal is per truck for 2 trucks to be built AS/		x		NSPECTION FEE	40.00
		<u></u>	DEALER'S INVE		359.34
New 2024 Kenwerth T890 Day Cab Straight Truck				-	75.00
New 2024 Kenworth T880 Day Cab Straight Truck					
Cummins X15 500EV / Fuller RTLO18913A 13-Spe	ed Manual Trans		EXTENDED WAR	RANIY	-
			SUBTOTAL		181,327.00
*Current build slots are for Q2 2023 Build. Delivery of	late TBD.		BALANCE OWE	O ON TRADE	-
			SUBTOTAL		181,327.00
			PREPAYMENT		-
			BALANCE DUE U	JPON DELIVERY	181,327.00
DISCLAIMER OF WARR		coller			
Any warranties on the products sold hereby are those made to CLEVELAND MACK SALES, INC., PERFORMANCE TRUCK					
hereby expressly disclaims all warranties, either express or impl		,			CIAL FEE. A DOCUMENTARY
of merchantability or fitness for a particular purpose, and CLE					THE SALE. A DOCUMENTARY
PERFORMANCE TRUCK OR PERFORMANCE TRAILER r					AMOUNT AGREED TO BY THE
any other person to assume for it any liability in connection				TIES. THIS NOTICE IS RE	

Vehicle(s) are subject to prior sale and will not be held more than five working days.

PURCHASER _____

THIS ORDER NOT BINDING UNTIL ACCEPTED BY DEALER.

ACCEPTED BY _____



PERFORMANCE TRUCK - CLEVELAND (C359) 1287 HIGHWAY 59 NORTH CLEVELAND, Texas 77328

TEXAS A&M FOREST SERVICE COLLEGE STATION, Texas 77845 United States of America

Drew Vest Cell Phone: 281-610-8007 Office Phone: 713-844-7111 Email: avest@performancetruck.com

Vehicle Summary

	Unit	Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	20000
Туре:	FULL TRUCK	Rr Axle Load (lbs):	46000
Description 1:	T880 Straight Trk	G.C.W. (lbs):	66000
Description 2:	X15EV / 13 Spd Manual		
	Application	Road Conditions:	
Intended Serv.:	EMT/rescue service: Vehicles used respo	Class A (Highway)	80
Commodity:	Heavy machinery.	Class B (Hwy/Mtn)	20
		Class C (Off-Hwy)	0
	Body	Class D (Off-Road)	0
Туре:	Flatbed.	Maximum Grade:	6
Length (ft):	20	Wheelbase (in):	254
Height (ft):	13.5	Overhang (in):	65
Max Laden Weight	4000	Fr Axle to BOC (in):	74
(lbs):		Cob to Avila (in):	180
	Trailer	Cab to Axle (in): Cab to EOF (in):	245
No. of Trailer Axles		Overall Comb. Length (in):	367.5
Type:	. 0		007.0
Length (ft):	0	Special Req.	
Height (ft):	0	U.S. Domestic registry, 50-state.	
Kingpin Inset (in):	0		
Corner Radius (in):	0		
	Restrictions		
Length (ft):	120		
Width (in):	102		
Height (ft):	13.5		
Approved by:		Date:	

Note: All sales are F.O.B. designated plant of manufacture.

Sales Code	Std/ Opt	Description	Weight
Model			
0000810	S	T880 Series Conventional	15,549
0070060	S	T880	C
0080070	0	CARB Exempt Application Emergency Vehicle Only.	(
0090000	S	Non-Sleeper w/rear axle capacity less than 59K.	(
0098443	0	State of Registry: Texas	(
Engine &	& Equi	ipment	
0130328	0	X15 500EV 512@1500 1850@950 2021 with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09360 C400 252Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C40 N09220 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09260 C121 68Maximum Accelerator Pedal Ve N09440 C234 NOEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 5Timer Setting (C133) N09680 C233 NOIdle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C132) N09300 C128 68Maximum Cruise Speed (C128) N09500 C239 NOCruise Control Auto Resume (N09520 C238 NOAuto Engine Brake in Cruise N09240 C209 120Hard Maximum Speed Limit (C2 N09780 C190 80High Ambient Temperature Thr N09740 C188 40Low Ambient Temperature Thr N09760 C189 60Intermediate Ambient Tempera N09700 C39 YESEnable Hot Ambient Automatic N09600 C397 60Timer For Impending Shutdown Wa N09620 C397 60Timer For Impending Shutdown Ma N09640 C206 35Engine Load Threshold (C206) N09560 C225 YESEnable Idle Shutdown Park Br	465
1000046	0	EPA Emissions Warranty Engine	(
1000151	S	PremierSpec	
1000233	0	Powertrain Protect with SmartAccel - X15 Torque Rate Limiting	
1000244	0	Gearing Analysis: Balance power/economy blend results.	
1000255	0	Customer's Typical Operating Spd: 68 mph.	(

Date: October 21, 2022 Quote Number: QUO-915615-F2B8V4

Sales Code	Std/ Opt	Description	Wei	ight
1000684	0	Effective VSL Setting NA		0
	-			-
1000858	0	Engine Idle Shutdown Timer Disabled		0
1000859	0	Enable EIST Ambient Temp Overrule		0
1000891	0	Eff EIST NA Expiration Miles		0
1002080	0	Air compressor: Cummins 18.7 CFM, Naturally		0
1051000	S	Aspirated for Cummins X15 engines		
1051200	5	Air Cleaner: composite firewall mounted PACCAR or Cummins engines		0
1105220	0	Fan Hub: Horton 2-Speed for X15		0
1123555	S	Cooling module: 1330 square inches.		0
	-	Includes aluminum radiator core, aluminum charge air cooler,		-
		translucent surge tank and washer bottle, silicone hoses, and extended		
1160205		life coolant.		2
1160205	0	Bugscreen Front of grille on 2.1M MD, C500 ,T800, T880, and W900.		2
		Behind grille on T680 and 1.9M MD.		
1247229	0	EXH: 2021 RH Under DPF/SCR with RH Horizontal tailpipe below rail		0
1321110	0	Fuel Filter:PACCAR Extended Service Interval		0
		Fuel/Water Separator, 2017 and Later Emissions		
1321205	S	Run Aid:Fuel Heat		0
4004000		*For Fuel Filter		
1321300	0	Start Aid:None *For Fuel Filter		0
1500029	0	Kenworth Fuel Cooler		6
1000020	0	Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.		Ū
1816260	0	Alternator: PACCAR 160 amp, brush type		0
1821210	S	Batteries: 3 PACCAR GP31 threaded post (700-730)		0
		2100-2190 CCA dual purpose.		
1836106	0	Mitsubishi 105P55 12V Starter with Cummins and PX		0
		PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cumming or DX angings		
1840005	0	for Cummins or PX engines. Battery disconnect switches 2, mounted on		2
	č	battery box.		-
1840065	S	12V low voltage disconnect for starter battery		0
		protection.		

Price Level: January 1, 2023 Deal: T880 Straight Trk Printed On: 10/21/2022 1:49:30 PM Date: October 21, 2022 Quote Number: QUO-915615-F2B8V4



Code	Std/ Opt	Description	Weight
1901018	0	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab	0
		OR Back of Sleeper, J1939, Remote Control Provision	
1901083	0	J1939 harness (read only)to EOF for body builder. This option allows the customer to read EPA 2010+ engine parameters from their remote station. "Read Only" means you cannot write information to any components on this harness but can only "Read" information from it.	C
Transm	ission	& Clutch	
2058446	Ο	Transmission: Fuller RTLO18913A 13-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe- duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound- feet.	206
2250494	0	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2050 ft-lb, Ceramic, 6-Paddle	6
2294080	0	Air-assisted Hydraulic Clutch	0
2406005	0	45 degree yokes on interaxle drivelines.	11
2406467	0	Driveline: 3 Dana SPL250SF 2 centerbearing	187
2460042	0	14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift.	C
2493009	0	Aluminum clutch housing	(
Front A	kle & E	quipment	
2516006	0	Meritor MFS20 20K 3.74in. drop wide track.	-7
2607002	S	Front Brakes: 14,601-22K Bendix air disc brakes.	0
	0	Splined rotor for front air disc brakes for use	
2690025	-		0
2690025 2702020	0	with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	
		with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt	80
2702020	0	with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	80
2702020 2741970	O S	with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels. ConMet PreSet Plus Hub package; front axle.	80 0
2702020 2741970 2750001	O S S	with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels. ConMet PreSet Plus Hub package; front axle. Hubcap: front vented. Slack Adjusters included w/ front axle or brake.	80 0 0 0
2702020 2741970 2750001 2769000	O S S	with iron hubs. Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels. ConMet PreSet Plus Hub package; front axle. Hubcap: front vented. Slack Adjusters included w/ front axle or brake. Also use w/ disc brakes. Maximum length wheel studs for hub pilot wheels, code not	0 80 0 0 0 2 0

Wei	Description	Std/ Opt	Sales Code
	Heavy duty. Not for use on T3.	-	
	Power Steering Cooler:Radiator Mounted Air-to-Oil	S	2899336
	Threaded Bushings for taperleaf spring 16K, 18/20K, 22K, 40K replacing rubber.	0	2900616
	Equipment	e & E	Rear Ax
-1	Dual Dana Spicer D46-172H rear axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Tandem rear axles.	0	3144182
	Rear Axle Ratio - 3.42.	0	3200342
	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	S	3334004
	Dual Rear Brake Drums: cast.	S	3392005
	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.	S	3407050
	ConMet PreSet Plus Hub package; dual rear axle.	S	3441972
	Dual Rear axle automatic slack adjusters.	S	3465002
	Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.	S	3485207
	Dustshields for drum brakes: all rear axles.	0	3490047
	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC).	0	3495228
	Enhanced Automated Emergency Braking Deceleration	U	3495362
	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	0	3500057
1	Wheel Differential Lock for Dana Spicer axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.	0	3532194
6	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	0	3747461
•	Delete standard heavy-duty air springs for rear suspension.	0	3830145
		Vheel	Tires & \
	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	0	4077537
2	Rear Tires: Michelin X Works D 11R22.5 16PR	0	4210150
	Rear Tire Quantity: 8	0	4900008
	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	0	5042311
ate: October 21,		nuary aight T	e Level: Ja



Weig	Description	Std/ Opt	Sales Code
	Rear Wheel: Accuride 50344 22.5x8.25 steel	S	5242285
	Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.		
	Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels	0	5853906
	on chassis must have same finish color.		
	Rear Wheel/Rim Quantity: 8	0	5900008
	pment	Equip	Frame &
48	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lbin. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail	0	6056600
	availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the		
	requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material		
69	specification for a substitute rail. Full Steel Insert: for 10-5/8 in. or 10-3/4 in.	0	6141600
03	Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lbin. per pair of rails. Full frame insert length is equal to wheelbase plus rear	0	0141000
	frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in.		
	bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.		0000004
•	Bumper: Tapered polished aluminum channel. Requires a bumper setting code.	0	6302361
	48.5 in. Bumper setting. Requires a bumper code.	S	6319485
	Removable Front Tow Hooks: 2.	0	6321005
	Custom Frame Layout: two chassis CFL DEF: close as possible to fuel tank under the cab CFL F/T: far forward as possible CFL A/D: inside Ih rail boc	0	6391202
	CFL AT: inside frame flanges		6400636
	Battery box cantilever aluminum BOC with fiberglass cover.	0	0400030
	Battery box location: LH Side.	S	6409901
	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For	S	6451090
	T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.		
	Chassis too long for delivery in standard 3 way due to long cutoff. Dealer to review delivery options w/ transporter.	0	6679828
	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	S	6721102
	Rear mudflap shields: White plastic antisail w/	S	6722000

Date: October 21, 2022 Quote Number: QUO-915615-F2B8V4

Sales Code	Std/ Opt	Description	Weight
		Kenworth logo.	
6742009	S	Square end-of-frame w/o crossmember; non-towing.	0
Fuel Tar	nks & I	Equip	
7210075	0	Fuel Tank: 75 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	-11
7216045	0	Fuel Tank: 45 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	92
7722153	S	Small round DEF tank, 14 gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	0
7831008	0	6 in. wide lower fuel tank step, for one 22 in. or 24.5 in. tank LH.	2
7889203	S	DEF to fuel fill ratio 2:1 or greater.	0
7889245	S	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	0
7889604	S	DEF tank location is LH.	0
7920075	0	Location: 75 gal fuel tank LH under cab	0
7930045	0	Location: 45 gal fuel tank RH behind cab	0
Cab & E	quipm		
8025301	S	Cab: Stamped aluminum cab with panoramic curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self- piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	0
8090604	0	Hood: T880 Standard Length With Mechanically Fastened Fenders. 122.6 inch BBC.	15
8108002	0	Fine particulate filter for cabin air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	0
8108011	S	Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all	0



Sales Code	Std/ Opt	Description	Weight
		operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	
8201047	S	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	0
8201051	0	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	0
8201200	S	Adjustable telescoping tilt steering column.	0
8203060	0	5 sets of keys. Replaces standard 2 sets of keys.	0
8208495	0	Two spare switches: Wired to power.	0
8220106	0	Gauge: Dash mounted air filter restriction gauge.	0
8221137	0	Gauge: Trailer air application gauge.	0
8221139	0	Gauge: Additional dash mounted air pressure gauge Includes piping to BOC/BOS.	0
8221160	0	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	0
8222404	S	Gauge: DD Virtual Gauge - Oil Temp Engine	0
8222413	S	Gauge: DD Virtual Gauge - Manifold Pressure Boost	0
8222414	S	Gauge: DD Virtual Gauge - Engine Percent Torque	0
8222712	0	Gauge: Fuel filter restriction gauge.	0
8282027	S	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	0
8282108	0	Modular Dash Options: RH Dash storage unit with two shelves. Reduces total gauge count; HD by 6 and MD by 4.	0
8282120	0	USB Charging Port - Dash Panel *Requires 15" Digital Display 8282027/8282028	0
8291011	0	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	0
8300008	S	Interior color: Slate Gray	0
8330102	S	Interior package: Vantage daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric	0



Sales Code	Std/ Opt	Description	Weight
		door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	
8390634	S	Rubber floormat	0
8410200	0	Driver Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	0
8460200	0	Rider Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	34
8490181	S	Seat Color: Black	0
8496559	0	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	0
8601432	0	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698974	S	Base Level Audio System - Daycab:High Performance Door Speakers.	0
8699926	0	CB installation kit: Center mounted of header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	2
8700197	S	Turn Signal: Non-Self Cancelling	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700663	S	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	0
8800380	0	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	6
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door with standard LH/RH electric door locks and LH/RH electric window controls.	0
8841411	S	Single air horn under cab.	0

Sales Code	Std/ Opt	Description	We
8850139	S	Look-Down, Pass. Door, Black 11x6	
8865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	
8871447	0	Rear cab stationary window with dark tint 19in x 36in.	
8890038	0	3.5in x 11.5in Plastic Records Holder:Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	
8890101	S	One-piece bonded-in windshield with curved glass. Standard	
8890349	S	Wheelwell Fender Extension: 2.5 Inches	
8890876	S	Kenworth Cab/Sleeper Air Suspension.	
8891013	0	Extreme Temperature Insulation: Daycab Additional cab side wall insulation with improved material properties over standard insulation package.	
Lights 8	k Instru	uments	
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector	
9022137	S	Marker Lights: Five, rectangular, LED	
9030016	S	Turn Signal Lights: Flush mounted LED. Mounted at top of fender wheel arc.	
9030052	S	LED Stop,Turn,Tail: With Two LED	
		Backup Lights and With An LED License Plate.	
9090000	0	Daytime Running Lamps.	
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	
9090052	0	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	
9090115	0	Reflectors: Two Midframe	
9090126	0	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	
9090849	0	Polyswitches replacing fuses. Switch will automatically reset after removal of excess load.	
	inmon	t	
Air Equi	ipmen		
Air Equ i	S	Air Dryer: Bendix AD-HF Puraguard Heated	

Sales Code	Std/ Opt	Description	Weight
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	0
9140252	0	Locate air dryer inside LH rail BOC. This code requires the use of a custom frame layout code.	0
9140289	0	Air tanks: mounted inside frame flanges where possible. This code requires the use of a custom frame layout code.	0
Extende	ed War		
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0
9201828	0	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	0
9212611	0	24 Month TruckTech+ Subscription for Cummins Engines	0
9220001	0	Base Warranty: Emissions 5YR/100K MI - EPA Engine (Does not include CARB Clean Idle sticker)	0
Miscella	neous		
9409852	0	GHG Secondary Manufacturer: Does Not Apply	0
9490003	0	Additional lead time required for off highway & /or specialty component truck.	0
9490206	0	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	4
9490417	0	One 5 lb. dry chemical type fire extinguisher mounted inboard of driver seat. Class ABC.	11
9491659	S	VMUX Architecture	0
Promoti	ons		
Paint			
9700000	0	Paint color number(s).	0
		N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	
9943004	0	Bumper Unpainted	0
9943048	0	Day Cab Bulk Paint	0
9943050	0	Day Cab Standard Paint	0
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0
9965510	S	Base coat/clear coat.	0



Weight

	Sales Code	Std/ Opt	Description						
The Kenworth Color Selector contains additional instructions, as well as									
			information on Kenworth paint guidelines and surface finish						
			applications. Kenworth is standard with Dupont Imron Elite paint.						

Order Comments



Total Weight

18,900


Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

HORIZONTAL DIMENSIONS




Dimension	Measurement	Start	End
Axle Spacing	54	227	281
Bumper to Back of Cab	122.5	-48.5	74
Bumper to Front Axle	48.5	-48.5	0
Bumper to Front Frame	12.9	-48.5	-35.6
Cab to End of Frame	245.0	74	319
Cab to Rear Axle	180.0	74	254
Effective Bumper to Back Of Cab	122.5	-48.5	74
Frame Length	354.6	-35.6	319

Front Axle to Back of Cab	74.0	0	74
Front of Frame to Axle	35.6	-35.6	0
Load Space	245.0	74	319
Overall Length	367.5	-48.5	319
Overhang	65.0	254	319
Pusher Offset #1	27.0	227	254
Pusher Offset #2	27.0	227	254
Pusher Offset #3	27.0	227	254
Tag Offset	27.0	254	281
Wheelbase	254	0	254


10/21/22, 3:47 PM https://kwsalestool.lob.paccar.net/experlogix/site/pages/PACCAR/FrameComponentsWorkscreen/Printscreen.aspx?left=true&rig...

Dtpo: Truck Model: T880 Customer: TEXAS A&M FOREST SERVICE




Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.

Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.


Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.


10/21/22, 3:47 PM https://kwsalestool.lob.paccar.net/experlogix/site/pages/PACCAR/FrameComponentsWorkscreen/Printscreen.aspx?left=true&rig...

Dtpo: Truck Model: T880 Customer: TEXAS A&M FOREST SERVICE




Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.

Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.

Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.

SPEED & GRADE PERFORMANCE REPORTS

Cruise Report (Engine Fan Off)

T880 Series Conventional / FULL TRUCK GCW: 66000
QUO-915615-F2B8V4
0130328 X15 500EV 512@1500 1850@950
2058446 Transmission: Fuller RTLO18913A 13-speed
3144182 Dual Dana Spicer D46-172H rear axle rated at 46K.
4210150 Rear Tires: Michelin X Works D 11R22.5 16PR Revs/Mile: 491
0% Rolling Resistance

Startability

Transmission RatioMaximum Starting Grade12.3136.148.6425.37

Engine RPM:	700	800	900	1000	1100	1150	1200	1300	1400	1500	1600	1700	1800	1900	2000
Gross Torque:	1020	1220	1650	1850	1850	1850	1850	1850	1850	1793	1681	1582	1494	1393	1230
Net Torque:	910	1101	1505	1694	1696	1697	1698	1700	1701	1650	1547	1455	1374	1281	1130
Net HP:	121	168	258	322	355	372	388	421	454	471	471	471	471	464	430

Gear Ratios: TR	XN (1):	12.31	RAX	K (1): 3	3.42										
Speed (MPH):	2.0	2.3	2.6	2.9	3.2	3.3	3.5	3.8	4.1	4.4	4.6	4.9	5.2	5.5	5.8
Grade (%):	35.2	44.1	66.5	79.9	80.1	80.2	80.3	80.4	80.5	76.5	69.3	63.4	58.5	53.3	45.5
Gear Ratios: TR	RN (2):	8.64	RAX	(1): 3.	42										
Speed (MPH):	2.9	3.3	3.7	4.1	4.5	4.8	5.0	5.4	5.8	6.2	6.6	7.0	7.4	7.9	8.3
Grade (%):	23.8	29.3	41.9	48.4	48.5	48.6	48.6	48.7	48.7	46.9	43.3	40.3	37.7	34.7	30.1
Gear Ratios: TR	RN (3):	6.11	RAX	(1): 3.	42										
Speed (MPH):	4.1	4.7	5.3	5.8	6.4	6.7	7.0	7.6	8.2	8.8	9.4	9.9	10.5	11.1	11.7
Grade (%):	16.3	20.1	28.2	32.2	32.2	32.2	32.3	32.3	32.3	31.2	29.0	27.1	25.5	23.6	20.6

Gear Ratios: TRN (4): 4.43 RAX (1): 3.42

10/21/	22, 3:25 PM						Performance (Speed & Grade) Reports										
	Speed (MPH):	5.6	6.5	7.3	8.1	8.9	9.3	9.7	10.5	11.3	12.1	12.9	13.7	14.5	15.3	16.1	
	Grade (%):	11.6	14.2	19.8	22.5	22.6	22.6	22.6	22.6	22.6	21.9	20.4	19.1	18.0	16.6	14.5	
	Gear Ratios: TF	RN (5):	3.23	RAX	(1): 3.	.42											
	Speed (MPH):	7.7	8.8	10.0	11.1	12.2	12.7	13.3	14.4	15.5	16.6	17.7	18.8	19.9	21.0	22.1	
	Grade (%):	8.2	10.1	14.1	16.0	16.0	16.1	16.1	16.1	16.1	15.5	14.5	13.5	12.7	11.8	10.3	
	Gear Ratios: TF	RN (6):	2.29	RAX	(1): 3.	42											
	Speed (MPH):	10.9	12.5	14.0	15.6	17.2	17.9	18.7	20.3	21.8	23.4	25.0	26.5	28.1	29.6	31.2	
	Grade (%):	5.6	6.9	9.7	11.0	11.0	11.0	11.0	11.0	11.0	10.6	9.9	9.2	8.6	7.9	6.9	
	Gear Ratios: TF	RN (7):	1.95	RAX	(1): 3.	42											
	Speed (MPH):	12.8	14.7	16.5	18.3	20.2	21.1	22.0	23.8	25.7	27.5	29.3	31.1	33.0	34.8	36.6	
	Grade (%):	4.6	5.7	8.1	9.2	9.2	9.2	9.2	9.2	9.2	8.8	8.2	7.6	7.1	6.5	5.6	
	Gear Ratios: TR	RN (8):	1.62	RAX	(1): 3.	42											
	Speed (MPH):	15.4	17.6	19.9	22.1	24.3	25.4	26.5	28.7	30.9	33.1	35.3	37.5	39.7	41.9	44.1	
	Grade (%):	3.7	4.6	6.6	7.5	7.5	7.4	7.4	7.4	7.4	7.1	6.5	6.0	5.6	5.1	4.3	
	Gear Ratios: TF	RN (9):	1.38	RAX	(1): 3.	.42											
	Speed (MPH):	18.1	20.7	23.3	25.9	28.5	29.8	31.1	33.7	36.2	38.8	41.4	44.0	46.6	49.2	51.8	
	Grade (%):	3.0	3.8	5.4	6.2	6.2	6.1	6.1	6.1	6.0	5.7	5.2	4.8	4.4	3.9	3.2	
	Gear Ratios: TF	RN (10)	: 1.17	RAX	X (1): 3	3.42											
	Speed (MPH):	21.4	24.4	27.5	30.5	33.6	35.1	36.6	39.7	42.8	45.8	48.9	51.9	55.0	58.0	61.1	
	Grade (%):	2.4	3.0	4.4	5.0	5.0	4.9	4.9	4.8	4.8	4.5	4.1	3.6	3.3	2.8	2.2	
	Gear Ratios: TF	RN (11)	:1	RAX (1): 3.42	2											
	Speed (MPH):	25.0	28.6	32.2	35.7	39.3	41.1	42.9	46.5	50.0	53.6	57.2	60.7	64.3	67.9	71.5	
	Grade (%):	1.9	2.4	3.5	4.0	4.0	3.9	3.9	3.8	3.7	3.4	3.0	2.6	2.2	1.8	1.2	
	Gear Ratios: TF	RN (12)	: 0.85	6 R/	AX (1) :	3.42											
	Speed (MPH):	29.2	33.4	37.6	41.7	45.9	48.0	50.1	54.3	58.4	62.6	66.8	71.0	75.1	79.3	83.5	
	Grade (%):	1.4	1.8	2.8	3.2	3.1	3.0	2.9	2.8	2.7	2.4	2.0	1.5	1.1	0.7	0.1	
	Gear Ratios: TF	RN (13)	: 0.73	RA	X (1): 3	3.42											
	Speed (MPH):	34.3	39.2	44.1	48.9	53.8	56.3	58.7	63.6	68.5	73.4	78.3	83.2	88.1	93.0	97.9	
	Grade (%):	1.0	1.3	2.0	2.3	2.2	2.1	2.0	1.8	1.6	1.3	0.9	0.4	0.0	-0.5	-1.1	

10/2	21/22, 3:25 PM				Performance (Speed & Grade) Reports											
	Engine RPM:	700	800	900	1000	1100	1150	1200	1300	1400	1500	1600	1700	1800	1900	2000
	Gross Torque:	1020	1220	1650	1850	1850	1850	1850	1850	1850	1793	1681	1582	1494	1393	1230
	Net Torque:	910	1101	1505	1694	1696	1697	1698	1700	1701	1650	1547	1455	1374	1281	1130
	Net HP:	121	168	258	322	355	372	388	421	454	471	471	471	471	464	430

BIDDING REQUIREMENTS

- 1.1 Bidders must comply with all rules, regulations and statutes relating to purchasing in the State of Texas in addition to the requirements of this form.
- Bidders must price per unit shown. aovern in the event of extension errors. 1.2 Unit prices shall Bids should be submitted on this form. Any alternations to 1.3
- the original format and content of this form will result in the disqualification of bid. Late and/or unsigned bids will not be considered under 1.4
- any circumstances. Person signing bid must have the authority to bind the firm in a contract.
- Quote F.O.B. destination, freight prepaid and allowed unless otherwise stated within the specifications. 1.5 1.6
- Bid prices are requested to be firm for TFS acceptance for 60 days from opening date. Cash discounts are not considered in determining an award. Cash discounts offered will be taken if earned. Bids should give Payee ID Number, full firm name and
- 1.7 address of bidder on the face of this form. Enter in the space provided, if not shown. The Payee ID Number is the taxpayer number assigned and used by the Comptroller of Public Accounts of Texas.
- Bid cannot be altered or amended after opening time. 1.8 Any alterations made before opening time should be initialed by bidder or his authorized agent. No bid can be withdrawn after opening time without approval by TFS Purchasing Office based on a written acceptable reason.
- Purchases made for TFS are exempt from the State Sales 1.9 tax and Federal Excise tax. Do not include tax in auotation. Excise Tax Exemption Certificate will be . furnished by TFS upon request.
- 1.10 TFS reserves the right to accept or reject all or any part of any bid, waive minor technicalities and award the bid to best serve the interests of the TFS.
- The telephone number for FAX submission of bid is (979) 1.11 458-7387. This is the only number that will be used for the receipt of bids. TFS shall not be responsible for failure of electronic equipment or operator error. Late, illegible, incomplete, or otherwise non-responsive bids will not be considered.

SPECIFICATIONS

- 21 Catalogs, brand names or manufacture's references are descriptive only, and indicate type and quality desired. Bids on brands of like nature and quality will be considered, unless advertised as a Proprietary Purchase in accordance with TAMU Procurement Code Section 1 (b) and TFS Purchasing Procedures, Section 4.13. If bidding on other than references, bid should show manufacturer, brand or trade name, and other description of product offered. If other than brand(s) specified is offered, illustrations and complete description of product offered is requested to be made part of the bid. Failure to take exception to specifications/reference data will require bidder to furnish specified brand names, numbers, etc.
- 2.2 Unless otherwise specified, items shall be new and
- unused and of current production. All electrical items must meet all applicable OSHA 2.3 standards and regulations, and bear the appropriate listing from UL, FMRC or NEMA.
- Samples, when requested, must be furnished free of expense to TFS. If not destroyed in examination, they will be returned to the bidder, upon request, at bidder's 2.4 expense. Each sample should be marked with bidder's name and address, and Purchase Order number. Do not enclose in or attach bid to sample.
- TFS will not be bound by any oral statement or representation contrary to the written specifications of this 2.5 Invitation For Bid (IFB)
- Manufacturer's standard warranty shall apply unless 2.6 otherwise stated in the IFB.

3. TIE BIDS

Awards will be made in accordance with TAC Rule 20.36 (b) (3) and 20.38 (preferences).

- DELIVERY
- Show number of days required to place material in receiving agency's designated location under normal conditions. Delivery days mean calendar days, unless 41 otherwise specified. Failure to state delivery time obligates bidder to deliver in 14 calendar days. Unrealistic delivery
- promises may cause bid to be disregarded. If delay is foreseen, vendor shall give written notice to TFS. Vendor must keep TFS advised at all times of order 4.2 status. Default of promised delivery (without accepted reasons) or failure to meet specifications authorizes TFS to purchase supplies elsewhere and charge full increase, if any, in cost and handling to defaulting vendor.
- No substitutions permitted without TFS written approval. Delivery shall be made during normal working hours only, unless prior approval has been obtained from TFS. 44
- Each shipment must be accompanied by a packing slip which shows the TFS Purchase Order number and the description, quantity shipped and any back-ordered quantity for each item shipped. Each package must be 4.5 clearly marked with the destination address and TFS Purchase Order number.

5 INSPECTION AND TESTS

All goods will be subject to inspection and test by TFS. Authorized TFS personnel shall have access to any supplier's place of business for the purpose of inspecting merchandise. Tests shall be performed on samples submitted with the bid or on samples taken from regular shipment. All costs shall be borne by the vendor in the event products tested fail to meet or exceed all conditions

ATTACHMENT A **TEXAS A&M FOREST SERVICE TERMS AND CONDITIONS**

and requirements of the specification. Goods delivered and rejected in whole or in part may, at the TFS' option, will be returned to the vendor or held for disposition at vendor's expense. Latent defects may result in revocation of acceptance

AWARD OF CONTRACT AND FORCE MAJURE

6.

7.

A response to this IFB is an offer to contract based upon the terms, conditions and specifications contained herein Bids do not become contracts until they are accepted through a TFS purchase order. The contract shall be governed, construed and interpreted under the laws of the State of Texas, and as same may be amended. Any legal actions must be filed in Brazos County, Texas. The TFS may grant relief from performance of the contract if the vendor is prevented from compliance and performance by the act of war, order of legal authority, act of God, or other unavoidable causes not attributed to the fault or negligence of the contractor. To obtain release on Force Majure, the vendor must file a written request to the TFS. PAYMENT

Vendor shall submit one (1) copy of an itemized invoice showing TFS Purchase Order number. TFS will incur no penalty for late payment if made in 30 or fewer days from receipt of goods or services and an uncontested invoice TFS will not be liable for payment of invoices received six (6) or more months after receipt of goods/services. PATENTS OR COPYRIGHTS

Vendor agrees to protect the TFS from claims involving infringement of patents or copyrights. VENDOR ASSIGNMENTS

Vendor hereby assigns to TFS any and all claims for overcharges associated with this contract arising under the antitrust laws of the United States 15 U.S.C.A. Section 1, et seq. (1973), and the antitrust laws of the State of Texas TEX. Bus. & Comm. Code Ann. Sec. 15.01, et seq. (1967). Inquiries pertaining to quotation must give the quotation number and opening date.

BIDDER AFFIRMATION 10.

- Signing this bid with a false statement is a material breach of contract and shall void the submitted bid or any resulting contracts, and the bidder shall be removed from all bid lists. By signature hereon affixed, the bidder hereby certifies that:
- The bidder has not given, offered to give, nor intends to give at any time hereafter any economic opportunity, future employment, gift, loan, gratuity, special 10.1 discount, trip, favor, or service to a public servant in connection with the submitted quotation.
- 10.2 The bidder is not currently delinquent in the payment of any franchise tax owed the State of Texas.
- Neither the bidder nor the firm, corporation, partnership or 10.3 institution represented by the bidder, or anyone acting for such firm, corporation or institution has violated the antitrust laws of this State, or the Federal Antitrust Laws, (see Section 9 above) nor communicated directly or indirectly the bid made to any competitor or any other
- person engaged in such line of business. Pursuant to Section 2155.004(a) Government Code the 10.4 bidder has not received compensation for participation in the preparation of the specification for this IFB.
- 10.5 Pursuant to Section 231.006 (d), Family Code, re: child support, the bidder certifies that the individual or business entity named in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated and payment may be withheld if this certification is inaccurate.
- Pursuant to Section 2155.004(b) Government Code the 10.6 bidder certifies that the individual or business entity name in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated and/or payment withheld if this certification is inaccurate.
- The Contractor shall defend, indemnify, and hold harmless the State of Texas, all of its officers, agents and 10.7 employees from and against all claims, actions, suits, demands, proceedings, costs, damages, and liabilities, arising out of, connected with, or resulting from any acts or subcontractor, or supplier of contractor in the execution of performance of this contract.
- Bidder agrees that any payment due under this contract will be applied towards eliminating any debt or delinquency, regardless of when it arises, including but not 10.8 limited to delinquent taxes and child support that is owed to the State of Texas.
- Bidder certifies that they are in compliance with section 669.003 of the Government Code, relating to contracting 10.9 with executive head of a State agency. If section 669.003 applies, bidder will complete the following information in order for the bid to be evaluated: Name of Former Executive:

Name of State Agency:

Date of Separation from State Agency:

Position with Bidder:

- Date of Employment with Bidder:
- 10.10 Bidder agrees to comply with Government Code 2155.4441, pertaining to service contract use of products in the State of Texas.
- 10.11 Contractor understands that acceptance of funds under this contract acts as acceptance of the authority of the State Auditor's Office, or any successor agency, to conduct an audit or investigation in connection with those

funds. Contractor further agrees to cooperate fully with the State Auditor's Office or its successor in the conduct of the audit or investigation, including providing all records requested. Contractor will ensure that this clause concerning the authority to audit funds received indirectly by subcontractors through Contractor and the requirement to cooperate is included in any subcontract it awards.

BUSINESS OWNERSHIP 11.

Pursuant to Section 231.006 (c), Family Code, quotation must include name and Social Security Number of each person with at least 25% ownership of the business entity submitting the quotation. Bidders that have pre-registered this information on the TPASS Centralized Master Bidders List have satisfied the requirement. If not pre-registered. attach name & social security number for each person. Otherwise, information must be provided prior to award 12. NOTE TO BIDDER

Any terms and conditions attached to a bid will not be considered. Such terms and conditions may result in disqualification of the bid. TERNATIVE DISPUTE RESOLUTION

The dispute resolution process provided for in Chapter 2260 of the Texas Government Code shall be used, as further described herein, by Texas A&M Forest Service and the Contractor to attempt to resolve any claim for breach of contract made by the contractor:

(a) A contractor's claim for breach of this contract that the parties cannot resolve in the ordinary course of business shall be submitted to the negotiation process provided in Chapter 2260, subchapter B, of the Texas Government Code. To initiate the process, the contractor shall submit written notice, as required by subchapter B, to Robby DeWitt, Associate Director for Finance and Administration. Said notice shall specifically state the provisions of Chapter 2260, subchapter B, are being invoked. A copy of the notice shall be given to all other representatives of Texas A&M Forest Service and the contractor otherwise entitled to notice under the parties' contract. Compliance by the contractor with subchapter B is a condition precedent to the filing of a contested case proceeding under Chapter 2260, subchapter C, Texas Gov't Code.

(b) The contested case process provided in Chapter 2260, subchapter C, of the Texas Government Code is the contractor's sole and exclusive process for seeking a remedy for any and all alleged breaches of contract by Texas A&M Forest Service, if the parties are unable to resolve their disputes under this subparagraph (A). (c) Compliance with the contested case process provided

in subchapter C is a condition precedent to seeking consent to sue from the Legislature under Chapter 107 of the Civil Practices and Remedies Code. Neither the execution of this contract by Texas A&M Forest Service nor any other conduct of any representative of Texas A&M Forest Service relating to the contract shall be considered a waiver of sovereign immunity to suit.

considered a waiver of sovereign immunity to suit. (1) The submission, processing, and resolution of the contractor's claim is governed by the published rules adopted by the Office of the Attorney General of the State of Texas pursuant to Chapter 2260, as currently effective, hereafter enacted or subsequently amended. These rules are found under Title 1, Part 3, Chapter 68 of the TAC.

(2) Neither the occurrence of an event nor the pendency of a claim constitutes grounds for the suspension of performance by the contractor, in whole or in part.

(3) The designated individual responsible on behalf of Texas A&M Forest Service for examining any claim or counterclaim and conducting any negotiations related thereto as required under Title 10, Subchapter B, Section 2260.052 of the Texas Government Code shall be Robby DeWitt, Associate Director for Finance and Administration (979) 458-7300.

14. PUBLIC DISCLOSURE

(a) Bidder acknowledges that Texas A&M Forest Service is obligated to strictly comply with the Public Information Act, Chapter 552, Texas Government Code, in responding to any request for public information pertaining to this Agreement, as well as any other disclosure of information required by applicable Texas law.

(b) Upon Texas A&M Forest Service's written request, bidder will provide specified public information exchanged or created under this Agreement that is not otherwise excepted from disclosure under chapter 552, Texas Government Code, to Texas A&M Forest Service in a non-proprietary format acceptable to Texas A&M Forest Service. As used in this provision, "public information" has the meaning assigned Section 552.002, Texas Government Code, but only includes information to which Texas A&M Forest Service has a right of access.

(c) Bidder acknowledges that Texas A&M Forest Service may be required to post a copy of the fully executed Agreement on its internet website in compliance with Section 2261.253(a)(1), Texas Government Code 15. REHAB ACT, VEVRAA, SECTION 503

This contractor and subcontractor shall abide by the requirements of 41 CFR §§ 60-1.4(a), 60-300.5(a) and 60-741.5(a). These regulations prohibit discrimination against qualified individuals based on their status as protected veterans or individuals with disabilities, and prohibit discrimination against all individuals based on their race, color, religion, sex, or national origin. Moreover, these regulations require that covered prime contractors and subcontractors take affirmative action to employ and advance in employment individuals without regard to race, color, religion, sex, national origin, protected veteran status or disability.

ATTACHMENT A TEXAS A&M FOREST SERVICE TERMS AND CONDITIONS

- 16. <u>Conflict of Interest.</u> By executing this Agreement, Contractor and each person signing on behalf of Contractor certifies, and in the case of a sole proprietorship, partnership or corporation, each party thereto certifies as to its own organization, that to the best of their knowledge and belief, no member of The A&M System or The A&M System Board of Regents, nor any employee, or person, whose salary is payable in whole or in part by The A&M System, has direct or indirect financial interest in the award of this Agreement, or in the services to which this Agreement relates, or in any of the profits, real or potential, thereof.
- 17. <u>Prohibition on Contracts with Companies</u> <u>Boycotting Israel.</u> Prohibition on Contracts with Companies Boycotting Israel. To the extent that Texas Government Code, Chapter 2270 applies to this Agreement, PROVIDER certifies that (a) it does not currently boycott Israel; and (b) it will not boycott Israel during the term of this Agreement. PROVIDER acknowledges this Agreement may be terminated and payment withheld if this certification is inaccurate.
- payment withheld if this certification is inaccurate.
 Certification Regarding Business with Certain Countries and Organizations. Pursuant to Subchapter F, Chapter 2252, Texas Government Code, Contractor certifies it is not engaged in business with Iran, Sudan, or a foreign terrorist organization. Contractor acknowledges this Agreement may be terminated if this certification is inaccurate.
- 19. <u>Prohibition on Contracts Related to Persons</u> <u>Involved in Human Trafficking</u>. Under Section 2155.0061, Government Code, the Contractor certifies that the individual or business entity named in this Agreement is not ineligible to receive the specified contract and acknowledges that this contract may be terminated and payment withheld if this certification is inaccurate.